



NOTES:
 1. FINISH: WASH PRIMER PER DDD-P-15328
 PRIMER PER MIL-P-23377
 PAINT PER MIL-C-22750
 COLOR :BLUE
 2. MARKING: BLACK EPDXY INK .12 HIGH CHARACTERS
 PER MIL-STD- 130

NO PAINT THIS SURFACE
 HEAT SINK SURFACE
 CHROMATE PER MIL-C-5541

REVISIONS				
ZONE	SYM	DESCRIPTION	DATE	APPROVED
	-	INITIAL RELEASE	7-18-17	MRG

INPUT A	INPUT B	J1-J2	J1-J3
1	0	INSERTION LOSS	ISOLATTION
0	1	ISOLATTION	INSERTION LOSS
0	0	UNDEFINED	UNDEFINED
1	1	UNDEFINED	UNDEFINED

PIN NUMBER	FUNCTION
1	+28VDC
2	+28VDC
3	SPARE
4	SPARE
5	INPUT A
6	28V RETURN
7	28V RETURN
8	GROUND
9	INPUT B

CAUTION
 STATIC SENSITIVE MATERIAL
 ALL HANDLING/INSPECTION TO BE PERFORMED
 ONLY AT APPROVED WORK STATIONS

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF RH LABS AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS) WITHOUT WRITTEN PERMISSION			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FINISHES: ANGLES:1/2° FRACTIONS:1/64 3 PLACE DECIMALS: ±.005 2 PLACE DECIMALS: ±.02 1 PLACE DECIMALS: ±.1 FILLETS: .005R MAX REMOVE BURRS AND SHARP EDGES TO .005 MAX. R OR CHAMFER	DRAFT MRG CHKD MRG PRD ENGR QA	DATE 7-18-17 7-18-17	TITLE HIGH POWER SWITCH WITH INTEGRATED +28 VDC POWER SUPPLY SIZE B CAGE CODE 1UJ73 DWG NO 120-F226 SCALE 1/2=1 SHEET 1 OF 1